

www.garnica.one

EN-NA 2025 / JULY

NORTH
AMERICA

Product Brochure




garnica
Challenge the ordinary



Stocked items ready to be shipped
with ultra short lead times.

Quick Ship items
highlighted in green
throughout the
brochure

- ✓ **Quicker lead time for delivery**
- ✓ **Minimize stock levels**
- ✓ **Rotate your stock faster**
- ✓ **Delivery terms**
 - Delivered At Place (DDP) in the US and (DAP) in Canada
 - One container cannot be addressed to more than one delivery point
 - Minimum order: one truck or container load
 - Minimum sales unit: one pack per SKU
 - Order confirmation will be sent within 48 hours



Lead time for Quick Ship items

2 weeks

8 weeks

Actual lead times for non Quick Ship items may vary per product range and size.



Download detailed information here 


reinforced globulus
birch

**Birch-faced, multi-ply
mixed hardwood core
plywood**

LG

Sizes (") / Thickness (mm)		9	12	15	18
Interior	Rotary cut B-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Packaging	107	80	64	53
Interior	Rotary cut C-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Packaging	70	50	40	33

Certifications on demand: **PEFC, FSC®**


reinforced globulus
maple

**Maple-faced, multi-ply
mixed hardwood core
plywood**

LG

Sizes (") / Thickness (mm)		9	12	15	18
Interior	Rotary cut B-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Packaging	107	80	64	53
Interior	Rotary cut C-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Packaging	107	80	64	53

Certifications on demand: **PEFC, FSC®**


reinforced globulus
poplar

**Poplar-faced, multi-ply
mixed hardwood core
plywood**

LG

Sizes (") / Thickness (mm)		9	12	15	18	22	25	30
Interior	B/BB							
48.5 x 96.5	No. of plies	5	7	9	11	13	15	17
	Packaging	107	80	64	53	44	38	32
Interior	BBA/BB							
48.5 x 96.5	No. of plies	5	7	9	11	13	15	17
	Packaging	70	50	40	33	27	24	20

Certifications on demand: **PEFC, FSC®**





**Fire-retardant plywood,
ASTM E-84 certified**

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	BBA/BBA						
49 x 97	No. of plies Packaging	5 155	5 101	7 77	9 62	9 52	11 38
XL 49 x 121	No. of plies Packaging	-	5 101	7 77	9 62	9 52	11 38
XL 61 x 121	No. of plies Packaging	-	5 101	7 77	9 62	9 52	11 38

Certifications on demand: **PEFC, FSC®**



**Fire-retardant plywood
with IMO/MED
certification**

Sizes (")		1/4	3/8	1/2	5/8	3/4
Interior	BBA/BBA					
49 x 97	No. of plies Packaging	5 155	5 101	7 77	9 62	9 52
XL 49 x 121	No. of plies Packaging	-	5 101	7 77	9 62	9 52
XL 61 x 121	No. of plies Packaging	-	5 101	7 77	9 62	9 52

Certifications on demand: **PEFC, FSC®**



performance
ultra-smooth

PAINT

Premium poplar plywood with a ready-to-use painted surface

Sizes (")		1/2	5/8	3/4	1
Interior					
48.5 x 96.5	No. of plies Packaging	7 77	9 62	9 52	11 38
60.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38
48.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38
Interior Grey RAL 7037 2 sides					
48.5 x 96.5	No. of plies Packaging	7 77	9 62	9 52	11 38
60.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38
48.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38
Interior White RAL 9003 + maple (RC C SAP WPF)					
48.5 x 96.5	No. of plies Packaging	7 77	9 62	9 52	11 38
Interior Grey RAL 7037 + maple (RC C SAP WPF)					
48.5 x 96.5	No. of plies Packaging	7 77	9 62	9 52	11 38

Certifications on demand: **PEFC, FSC®**

performance
ultra-smooth

PRM

Premium poplar plywood with primed smooth surface

Sizes (")		1/2	5/8	3/4	1
Interior White RAL 9003 2 sides					
48.5 x 96.5	No. of plies Packaging	7 77	9 62	9 52	11 38
48.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38
60.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38

Sizes (")		1/2	5/8	3/4	1
Interior White RAL 9003 + maple (RC C SAP WPF)					
48.5 x 96.5	No. of plies Packaging	7 77	9 62	9 52	11 38
Interior White RAL 9003 + maple (RC D SAP SPICED)					
48.5 x 120.5	No. of plies Packaging	7 77	9 62	9 52	11 38

Certifications on demand: **PEFC, FSC®**

performance
poplar

laminated

Laminated premium poplar plywood

Sizes (")		1/2	3/4
Interior			
48 x 96	No. of plies* Packaging	9 25	11 25

* Number of plies including both laminates.
This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.
48 x 120" size available upon request, check conditions with your sales representative.

Certifications on demand: **PEFC**

Discover our selection of laminate designs:

Scan or click here



COLLECTION	DESIGN	CODE	FINISH	RAL
FANTASY	Marble	M0307	Super Matte	-
COLOR	Green Clay	X0711	Super Matte	RAL 7033
	Sarela Gray	U2209	Super Matte	RAL 7044
	Gray	1411	Glossy	RAL 7044
		1411	Velvet	RAL 7044
	Graphite	1397	Velvet	RAL 7022
		1397	Glossy	RAL 7022
	Black	202	Matte	RAL 9011
	White	753	Glossy	RAL 9016
		753	Velvet	RAL 9016
		204	Glossy	RAL 9010
204		Matte	RAL 9010	
		204	Top Face	RAL 9010
WOOD	Walnut Slow	G0822	Atlas	-
	Bovary Elm	E2297	Essence	-
	Hickory	E0138	Ethnic	-
	Virginia Oak	A1014	Natural	-
	Caledonian Oak	A0386	Sega	-
	American Oak	668	Wood	-
	Barrique Oak	780	Wood	-



Ultra-durable plywood for outdoor use

Sizes (")		1/2	5/8	3/4	1
⊙ Class III exterior	⊙ BBA/BBA				
48.5 x 96.5	No. of plies	7	9	9	11
	Packaging	77	62	52	38

Certifications on demand: **PEFC, FSC®**



Laminated ultra-durable plywood

Sizes (")		1/2	3/4
⊙ Exterior			
48 x 96	No. of plies	9	11
	Packaging	25	25

* Number of plies including both laminates.

Possible color degradation of the laminate under UV rays in outdoor conditions.

This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.

Certifications on demand: **PEFC, FSC®**



Discover our selection of laminate designs:

Scan or click here



Ultra-durable plywood for outdoor use with a primed smooth surface

Sizes (")		1/2	5/8	3/4	1
⊙ Class III exterior	⊙ BBA/BBA				
48.5 x 96.5	No. of plies	7	9	9	11
	Packaging	77	62	52	38

Certifications on demand: **PEFC, FSC®**



Warranty against delamination and the attack of wood-decay fungi and xylophagous insects*

*Subject to conditions. Contact our Quality Department for details.

For Duraply & Duraprime products




ultralight
poplar

Poplar sandwich panel with an insulated XPS core

Total thickness (")		1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	2
Interior BBA/BBA									
48.5 x 96.5	Weight (lbs/panel)	28.4	29.2	30.1	31.8	32.5	33.4	35.3	38.6
	Packaging	77	65	54	40	34	31	27	20
XL 48.5 x 120.5*	Weight (lbs/panel)	35.5	36.4	37.5	39.7	40.6	41.7	44	48.1
	Packaging	77	65	54	40	34	31	27	20
XL 60.5 x 120.5*	Weight (lbs/panel)	44.2	45.4	46.8	49.5	50.7	52	54.9	60
	Packaging	77	65	54	40	34	31	27	20

Standard plywood skins: 4.5 mm total thickness.

* This size may not fulfill the standard lead times policy.

Certifications on demand: **PEFC, FSC®**


ultralight
duraply

Ultra-durable sandwich panel with an insulated XPS core

Total thickness (")		5/8	3/4	1	1 1/2	2
Exterior BBA/BBA						
48.5 x 96.5	Weight (lbs/panel)	29.6	30.4	32.1	35.5	38.9
	Packaging	65	54	40	27	20

Standard plywood skins: 4.5 mm total thickness.

Certifications on demand: **PEFC, FSC®**


ultralight
poplar

laminated

Laminated sandwich panel with an insulated XPS core

Total thickness (")		5/8	3/4	1	1 1/2	2
Interior						
48 x 96	Weight (lbs/panel)	39.6	40.4	42.1	45.6	49
	Packaging	65	54	40	27	20

This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.

Certifications on demand: **PEFC**

Discover our selection of laminate designs:

Scan or click here


ultralight
duraply

laminated

Ultra-durable, laminated sandwich panel with an insulated XPS core

Total thickness (")		5/8	3/4	1	1 1/2	2
Interior						
48 x 96	Weight (lbs/panel)	39.9	40.8	42.4	45.8	49.3
	Packaging	65	54	40	27	20

This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.

Possible color degradation of the laminate under UV rays in outdoor conditions.

Certifications on demand: **PEFC**



elegance
birch

**Birch-faced, poplar
core plywood**



Sizes (")		1/4 *	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
Interior	Rotary cut C-2 SAP WPF								
48.5 x 96.5	No. of plies	5**	5	7	7	9	11	15	19
	Packaging	155	101	77	62	52	38	34	31
XL 48.5 x 120.5	No. of plies	5	5	7	7	9	11	15	19
	Packaging	155	101	77	62	52	38	34	31

* C-4.

** Quick Ship available for raw and UV 1S versions.

Sizes (")		3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
Interior	Rotary cut B-2 SAP WPF							
48.5 x 96.5	No. of plies	5	7	7	9	11	15	19
	Packaging	101	77	62	52	38	34	31

elegance
maple

**Maple-faced, poplar
core plywood**



Sizes (")		1/4 *	3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
Interior	Rotary cut C-2 SAP WPF								
48.5 x 96.5	No. of plies	5**	5	7	7	9	11	15	19
	Packaging	155	101	77	62	52	38	34	31
60.5 x 96.5	No. of plies	5	5	7	9	9	11	15	19
	Packaging	155	101	77	62	52	38	34	31
Interior	Rotary cut C-2 SAP Spliced								
XL 48.5 x 120.5	No. of plies	5	5	7***	7	9	11	15	19
	Packaging	155	101	77	62	52	38	34	31

* C-4.

** Quick Ship available for C-4 raw and UV 1S versions and C-2 raw version.

*** Quick Ship available for raw version.

Sizes (")		3/8	1/2	5/8	3/4	1	1 1/4	1 1/2
Interior	Rotary cut B-2 SAP WPF							
48.5 x 96.5	No. of plies	5	7	7	9*	11	15	19
	Packaging	101	77	62	52	38	34	31
Interior	Rotary cut B-2 Natural WPF							
48.5 x 96.5	No. of plies	5	7	7	9*	11	15	19
	Packaging	101	77	62	52	38	34	31

* Quick Ship available for raw version.

UV

All Elegance ranges
available with
clear UV finish,
1 or 2 sides



Sizes (")		1/4 *	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced A-1						
48.5 x 96.5	No. of plies	5	5	7	7	9**	11
	Packaging	155	101	77	62	52	38

* A-4 (birch backface).

** Quick Ship available for raw version.

Certifications on demand: PEFC




elegance
 white oak

**White Oak-faced,
poplar core plywood**

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9* 52	11 38
48.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9** 52	11 38

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Rift cut (A-1)						
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9* 52	11 38
48.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9** 52	11 38

* Quick Ship available for raw and UV 2S versions

** Quick Ship available for raw version

UV

All Elegance ranges
available with
clear UV finish,
1 or 2 sides


elegance
 red oak

**Red Oak-faced,
poplar core plywood**

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Rotary cut B-2 Natural WPF						
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9** 52	11 38

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9** 52	11 38

elegance
 walnut

**Walnut-faced,
poplar core plywood**

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9* 52	11 38
48.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9** 52	11 38

* Quick Ship available for raw and UV 2S versions

** Quick Ship available for raw version

elegance
 cherry

**Cherry-faced, poplar
core plywood**

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9* 52	11 38

Certifications on demand: PEFC





efficiency
poplar

100% sustainable
European poplar
plywood

Sizes (")		1/4	3/8	1/2	5/8	18 mm	3/4	1	1 1/8	1 1/4	1 1/2	1 3/4	2
Interior	BB/BB												
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9 54	9 52	11 38	11 34	11 31	15 26	17 22	19 19
49 x 97	No. of plies Packaging	5 155	5 101	7 77	7 62	-	9 52	11 38	11 34	11 31	15 26	17 22	19 19
60.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	-	9 52	11 38	-	11 31	15 26	17 22	19 19
48.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	-	9 52	11 38	-	11 31	15 26	17 22	19 19
60.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	-	9 52	11 38	-	11 31	15 26	17 22	19 19

Certifications on demand: PEFC, FSC®



Sizes (")		1/4	3/8	1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	1 3/4	2
 Interior		 B/BB										
48.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9 52	11 38	11 34	11 31	15 26	17 22	19 19
49 x 97	No. of plies Packaging	5 155	5 101	7 77	7 62	9 52	11 38	11 34	11 31	15 26	17 22	19 19
60.5 x 96.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9 52	11 38	-	11 31	15 26	17 22	19 19
 48.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9 52	11 38	-	11 31	15 26	17 22	19 19
 60.5 x 120.5	No. of plies Packaging	5 155	5 101	7 77	7 62	9 52	11 38	-	11 31	15 26	17 22	19 19

Certifications on demand: PEFC, FSC®



efficiency
hdf

HDF-faces, poplar
core plywood

Sizes (")		1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	1 3/4	2
Interior										
48.5 x 96.5	No. of plies Packaging	7 77	7 62	9 52	11 38	11 34	11 31	15 26	17 22	19 19
49 x 97	No. of plies Packaging	7 77	7 62	9 52	11 38	11 34	11 31	15 26	17 22	19 19
60.5 x 96.5	No. of plies Packaging	7 77	7 62	9 52	-	11 34	11 31	15 26	17 22	19 19
48.5 x 120.5	No. of plies Packaging	7 77	7 62	9 52	-	11 34	11 31	15 26	17 22	19 19
60.5 x 120.5	No. of plies Packaging	7 77	7 62	9 52	-	11 34	11 31	15 26	17 22	19 19

Certifications on demand: PEFC




ExpressLine
 poplar

**Poplar-faced,
combi core
plywood**

Sizes (")		12 mm	18 mm
⊙ Interior glue	⊙ BB/BB		
48.5 × 96.5	No. of plies Packaging	5 80	7 53

CE marking & Certifications on demand: **PEFC, FSC™**


ExpressLine
 birch

**Birch-faced,
combi core
plywood**

Sizes (")		1/2	3/4
⊙ Interior glue	⊙ BB/BB		
48.5 × 96.5	No. of plies Packaging	7 77	9 52

CE marking & Certifications on demand: **PEFC, FSC™**


ExpressLine
 maple

**Maple-faced,
combi core
plywood**

Sizes (")		1/2	3/4
⊙ Interior glue	⊙ BB/BB		
48.5 × 96.5	No. of plies Packaging	7 77	9 52

CE marking & Certifications on demand: **PEFC, FSC™**



We challenge the ordinary by making three simple promises:



All products in this brochure are available per ONE pack*, which creates an easier sell for you.



We keep you informed about the actual lead times of our product ranges**, so you can inform your customers.



We have Quickship items ready in stock for you**, so you can quickly deliver your customers.

** If combined with other products to full truckloads.*

*** See Quick Ship service page for more details. Minimum order of one truck or container load.*



X:
@garnica_na



LinkedIn:
Garnica North America



Instagram:
@garnicaplywood_na



Pinterest:
@garnicaplywood



YouTube:
Garnica



Facebook:
Garnica North America

The figures included in this brochure are strictly to provide information and have no contractual value. The sizes, dimensions, thicknesses, packaging and number of plies may vary without prior notice based on new developments, technological advancements or market needs. The buyer is responsible for deciding whether each Garnica product is suitable for the desired application and ensuring that the way in which it is stored and used are in compliance with the manufacturer's instructions, suggestions, and all applicable current regulations.

Some specific items may not be available in your area, please check with your sales representative.

