EN-NA 2026 / OCTOBER

garnica
Challenge the ordinary

www.garnica.one

Product Brochure | North America

Quick Ship Service

Stocked items ready to be shipped with ultra short lead times.

Quick Ship items highlighted in green throughout the brochure

- ✔ **Quicker lead time for delivery**
- ✔ **Minimize stock levels**
- ✔ **Rotate your stock faster**
- ✔ **Delivery terms**
  - Delivered At Place (DDP) in the US and (DAP) in Canada
  - One container cannot be addressed to more than one delivery point
  - Minimum order: one truck or container load
  - Minimum sales unit: one pack per SKU
  - Order confirmation will be sent within 48 hours



Lead time for Quick Ship items

2 weeks | 8 weeks

Actual lead times for non Quick Ship items may vary per product range and size.

Download detailed information here

The lead time includes **logistics and the internal preparation** needed to ensure quality service

fireshield building®

Fire-retardant plywood, ASTM E-84 certified

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	BBA/BBA						
49 x 97	No. of plies	5	5	7	9	9	11
	Panels per pack	155	103	77	62	52	38
XL SIZE 49 x 121	No. of plies	-	5	7	9	9	11
	Panels per pack	-	103	77	62	52	38
XL SIZE 61 x 121	No. of plies	-	5	7	9	9	11
	Panels per pack	-	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.93*	*1.24*	*1.54*	*1.85*	*2.47*

ASTM E-84 · Class A · CAN/ULC S102-10 B-s1,d0

*Certifications on demand: **PEFC, FSC®.***

EN 45545-2

Available with EN 45545-2 certification, compliant with railway industry standards.

fireshield marine®

Fire-retardant plywood with IMO/MED certification

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	BBA/BBA						
49 x 97	No. of plies	5	5	7	9	9	11
	Panels per pack	155	103	77	62	52	38
XL SIZE 49 x 121	No. of plies	-	5	7	9	9	11
	Panels per pack	-	103	77	62	52	38
XL SIZE 61 x 121	No. of plies	-	5	7	9	9	11
	Panels per pack	-	103	7	62	52	38
	Weight (lb/sf)	*0.62*	*0.93*	*1.24*	*1.54*	*1.85*	*2.47*

IMO / MED

*Certifications on demand: **PEFC, FSC®.***

Decorative lightweight plywood

UV All Elegance ranges available with clear UV varnish finish

elegance birch

Birch-faced, poplar core plywood

Sizes (")		1/4 *	3/8	1/2	5/8	3/4	1
Interior	Rotary cut C-2 SAP WPF						
48.5 x 96.5	No. of plies	5	5	5**/7***	7**	7**/9***	11
	Panels per pack	155	103	77	62	52	38
XL SIZE 48.5 x 120.5	No. of plies	5	5	7	7	9	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** C-4 also available.*
*** Quick Ship available only for raw version.*
**** Quick Ship available for raw, UV 1S and UV 2S versions.*

elegance maple

Maple-faced, poplar core plywood

Sizes (")		1/4 *	3/8	1/2	5/8	3/4	1
Interior	Rotary cut C-2 SAP WPF						
48.5 x 96.5	No. of plies	5**	5	5***/7****	7	9****	11
	Panels per pack	155	103	77	62	52	38
60.5 x 96.5	No. of plies	5	5	7	9	9****	11
	Panels per pack	155	103	77	62	52	38
Interior	Rotary cut C-2 SAP Spliced						
XL SIZE 48.5 x 120.5	No. of plies	5	5	7***	7	9	11
	Panels per pack	155	101	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** C-4 also available.*
*** Quick Ship available for C-4 raw and UV 1S versions and C-2 raw version.*
**** Quick Ship available for raw version.*
***** Quick Ship available for raw, UV 1S and UV 2S versions.*

Sizes (")		1/4 *	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced A-1						
48.5 x 96.5	No. of plies	5	5	7	7	9**	11
	Panels per pack	155	101	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** A-4 (birch backface).*
*** Quick Ship available only for raw version.*

Sizes (")		3/8	1/2	5/8	3/4	1
Interior	Rotary cut B-2 SAP WPF					
48.5 x 96.5	No. of plies	5	7	7	9*	11
	Panels per pack	103	77	62	52	38
Interior	Rotary cut B-2 Natural WPF					
48.5 x 96.5	No. of plies	5	7	7	9*	11
	Panels per pack	103	77	62	52	38
	Weight (lb/sf)	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** Quick Ship available only for raw version.*

*Certifications on demand: **PEFC.***



elegance white oak

White Oak-faced, poplar core plywood

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies	5	5	7**	7	9*	11
	Panels per pack	155	103	77	62	52	38
XL Size 48.5 x 120.5	No. of plies	5	5	7	7	9**	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Rift cut (A-1)						
48.5 x 96.5	No. of plies	5	5	7**	7	9*	11
	Panels per packt	155	103	77	62	52	38
XL Size 48.5 x 120.5	No. of plies	5	5	7	7	9**	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** Quick Ship available for raw and UV 2S versions.*
*** Quick Ship available for raw version.*

elegance red oak

Red Oak-faced, poplar core plywood

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Rotary cut B-2 Natural WPF						
48.5 x 96.5	No. of plies	5	5	7	7	9**	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies	5	5	7	7	9**	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** Quick Ship available for raw and UV 2S versions.*
*** Quick Ship available for raw version.*

elegance walnut

Walnut-faced, poplar core plywood

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies	5	5	7**	7	9*	11
	Panels per pack	155	103	77	62	52	38
XL Size 48.5 x 120.5	No. of plies	5	5	7	7	9**	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** Quick Ship available for raw and UV 2S versions.*
*** Quick Ship available for raw version.*

elegance cherry

Cherry-faced, poplar core plywood

Sizes (")		1/4	3/8	1/2	5/8	3/4	1
Interior	Plain Sliced (A-1)						
48.5 x 96.5	No. of plies	5	5	7**	7	9*	11
	Panels per pack	155	103	77	62	52	38
	Weight (lb/sf)	*0.62*	*0.92*	*1.20*	*1.51*	*1.81*	*2.33*

** Quick Ship available for raw and UV 2S versions.*
*** Quick Ship available for raw version.*

Certifications on demand: ***PEFC.***

laminated *Laminated range available. Discover more in the Laminated section.*

duraply®

Ultra-durable plywood for outdoor use

Sizes (")		1/2	5/8	3/4	1
Class III exterior BBA/BBA					
48.5 x 96.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
60.5 x 120.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
	Weight (lb/sf)	*1.17*	*1.46*	*1.76*	*2.34*

Certifications on demand: ***PEFC, FSC®.***

duraprime®

Ultra-durable plywood for outdoor use with a primed smooth surface

Sizes (")		1/2	5/8	3/4	1
Class III exterior					
48.5 x 96.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
	Weight (lb/sf)	*1.25*	*1.53*	*1.79*	*2.34*

Certifications on demand: ***PEFC, FSC®.***

15 YEARS

Warranty against delamination and the attack of wood-decay fungi and xylophagous insects*

*Subject to conditions. Contact our Quality Department for details.

For Duraply & Duraprime products

performance ultra-smooth PRM

Premium poplar plywood with primed smooth surface

Sizes (")		1/2	5/8	3/4	1
Interior · White RAL 9003 PRM 2 sides					
48.5 x 96.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
XL SIZE 48.5 x 120.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
XL SIZE 60.5 x 120.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
	Weight (lb/sf)	*1.25*	*1.53*	*1.79*	*2.34*

Sizes (")		1/2	5/8	3/4	1
Interior · White RAL 9003 PRM + UV maple (RC C SAP WPF)					
48.5 x 96.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
Interior · White RAL 9003 PRM + UV maple (RC D SAP SPLICED)					
XL SIZE 48.5 x 120.5	No. of plies	7	9	9	11
	Panels per pack	77	62	52	38
	Weight (lb/sf)	*1.25*	*1.53*	*1.79*	*2.34*

Certifications on demand: ***PEFC, FSC®.***

efficiency poplar

100% sustainable European poplar plywood

Sizes (")		1/4	3/8	1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	1 3/4	2
Interior	BBA/BB											
48.5 x 96.5	No. of plies	5	5	5/7	7	7/9	11	11	11	15	17	19
	Panels per pack	155	101	77	62	52	38	34	31	25	22	19
49 x 97	No. of plies	5	5	7	7	9	11	11	11	15	17	19
	Panels per pack	155	101	77	62	52	38	34	31	25	22	19
60.5 x 96.5	No. of plies	5	5	7	7	9	11	-	11	15	17	19
	Panels per pack	155	101	77	62	52	38	-	31	25	22	19
XL SIZE 48.5 x 120.5	No. of plies	5	5	7	7	9	11	-	11	15	17	19
	Panels per pack	155	101	77	62	52	38	-	31	25	22	19
XL SIZE 60.5 x 120.5	No. of plies	5	5	7	7	9	11	-	11	15	17	19
	Panels per pack	155	101	77	62	52	38	-	31	25	22	19
	Weight (lb/sf)	*0.59*	*0.88*	*1.17*	*1.46*	*1.76*	*2.34*	*2.63*	*2.93*	*3.51*	*4.10*	*4.68*

*Certifications on demand: **PEFC, FSC®.***

Sizes (")		1/4	3/8	1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	1 3/4	2
Interior	B/BB											
48.5 x 96.5	No. of plies	5	5	7	7	9	11	11	11	15	17	19
	Panels per pack	155	103	77	62	52	38	34	31	25	22	19
49 x 97	No. of plies	5	5	7	7	9	11	11	11	15	17	19
	Panels per pack	155	103	77	62	52	38	34	31	25	22	19
60.5 x 96.5	No. of plies	5	5	7	7	9	11	-	11	15	17	19
	Panels per pack	155	103	77	62	52	38	-	31	25	22	19
XL SIZE 48.5 x 120.5	No. of plies	5	5	7	7	9	11	-	11	15	17	19
	Panels per pack	155	103	77	62	52	38	-	31	25	22	19
XL SIZE 60.5 x 120.5	No. of plies	5	5	7	7	9	11	-	11	15	17	19
	Panels per pack	155	103	77	62	52	38	-	31	25	22	19
	Weight (lb/sf)	*0.59*	*0.88*	*1.17*	*1.46*	*1.76*	*2.34*	*2.63*	*2.93*	*3.51*	*4.10*	*4.68*

*Certifications on demand: **PEFC, FSC®.***

Sizes (")		7/16	11/16	18 mm
Interior	BBA/BB			
49 x 97	No. of plies	5	9	9
	Panels per pack	91	56	54
XL SIZE 49 x 121	No. of plies	5	9	-
	Panels per pack	91	56	-
	Weight (lb/sf)	*0.96*	*1.54*	*1.66*

*Certifications on demand: **PEFC, FSC®.***

NOW AVAILABLE WITH
phenolic glue for exterior use

efficiency hdf

HDF-faces, poplar core plywood

Sizes (")		1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	1 3/4	2
Interior										
48.5 x 96.5	No. of plies	5	7	7/9	11	11	11	15	17	19
	Panels per pack	77	62	52	38	34	31	25	22	19
49 x 97	No. of plies	5	7	9	11	11	11	15	17	19
	Panels per pack	77	62	52	38	34	31	25	22	19
60.5 x 96.5	No. of plies	5	7	9	11	-	11	15	17	19
	Panels per pack	77	62	52	38	-	31	25	22	19
XL SIZE 48.5 x 120.5	No. of plies	5	7	9	11	-	11	15	17	19
	Panels per pack	77	62	52	38	-	31	25	22	19
XL SIZE 60.5 x 120.5	No. of plies	5	7	9	11	-	11	15	17	19
	Panels per pack	77	62	52	38	-	31	25	22	19
	Weight (lb/sf)	*1.53*	*1.81*	*2.18*	*2.63*	*2.93*	*3.25*	*3.59*	*4.14*	*4.73*

*Certifications on demand: **PEFC.***

laminated *Laminated range available. Discover more in the Laminated section.*

ExpressLine poplar

Poplar-faced, mixed veneer core plywood

Sizes (")		12 mm	18 mm
Interior glue	BBA/BB		
48.5 x 96.5	No. of plies	5	7
	Panels per pack	80	53
	Weight (lb/sf)	*1.35*	*2.03*

***CE** marking & Certifications on demand: **PEFC, FSC®**.*

ExpressLine birch

Birch-faced, mixed veneer core plywood

Sizes (")		1/2	3/4
Interior glue	Rotary cut C-2 SAP WPF		
48.5 x 96.5	No. of plies	7	9
	Panels per pack	77	52
	Weight (lb/sf)	*1.43*	*2.15*

***CE** marking & Certifications on demand: **PEFC, FSC®**.*

ExpressLine maple

Maple-faced, mixed veneer core plywood

Sizes (")		1/2	3/4
Interior glue	Rotary cut C-2 SAP WPF		
48.5 x 96.5	No. of plies	7	9
	Panels per pack	77	52
	Weight (lb/sf)	*1.43*	*2.15*

***CE** marking & Certifications on demand: **PEFC, FSC®**.*

UV

UV varnish finishes now available for:
- ***Reinforced Globulus Birch LG***
- ***Reinforced Globulus Maple LG***

reinforced globulus birch

LG

Birch-faced, multi-ply mixed hardwood core plywood

Sizes (") / Thickness (mm)		9	12	15	18
Interior	Rotary cut B-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Panels per pack	107	80	64	53
Interior	Rotary cut C-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Panels per pack	107	80	64	53
	Weight (lb/sf)	*1.12*	*1.50*	*1.87*	*2.25*

Available stock for Reinforced Globulus Birch LG UV.

Certifications on demand: ***PEFC, FSC®.***

reinforced globulus maple

LG

Maple-faced, multi-ply mixed hardwood core plywood

Sizes (") / Thickness (mm)		9	12	15	18
Interior	Rotary cut B-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Panels per pack	107	80	64	53
Interior	Rotary cut C-2 SAP WPF				
48.5 x 96.5	No. of plies	5	7	9	11
	Panels per pack	107	80	64	53
	Weight (lb/sf)	*1.12*	*1.50*	*1.87*	*2.25*

Certifications on demand: ***PEFC, FSC®.***

reinforced globulus poplar

LG

Poplar-faced, multi-ply mixed hardwood core plywood

Sizes (") / Thickness (mm)		9	12	15	18	22	25	30
Interior	B/BB							
48.5 x 96.5	No. of plies	5	7	9	11	13	15	17
	Panels per pack	107	80	64	53	44	38	32
Interior	BBA/BB							
48.5 x 96.5	No. of plies	5	7	9	11	13	15	17
	Panels per pack	70	50	40	33	27	24	20
	Weight (lb/sf)	*1.09*	*1.45*	*1.81*	*2.18*	*2.66*	*3.02*	*3.63*

Certifications on demand: ***PEFC, FSC®.***

laminated

Laminated range available.
Discover more in the Laminated section.

ultralight poplar

Poplar sandwich panel with an insulated XPS core

Total thickness (")		1/2	5/8	3/4	1	1 1/8	1 1/4	1 1/2	2
Interior / BBA/BBA									
48.5 x 96.5	Weight (lbs/panel)	28.4	29.2	30.1	31.8	32.5	33.4	35.3	38.6
	Panels per pack	77	62	52	38	34	31	25	19
XL SIZE 48.5 x 120.5*	Weight (lbs/panel)	35.5	36.4	37.5	39.7	40.6	41.7	44	48.1
	Panels per pack	77	62	52	38	34	31	25	19
XL SIZE 60.5 x 120.5*	Weight (lbs/panel)	44.2	45.4	46.8	49.5	50.7	52	54.9	60
	Panels per pack	77	62	52	38	34	31	25	19
	Weight (lb/sf)	*0.88*	*0.99*	*1.01*	*1.06*	*1.09*	*1.12*	*1.17*	*1.19*

Standard plywood skins: 4.5 mm total thickness.
** This size may not fullfill the standard lead times policy.*

Certifications on demand: ***PEFC, FSC®.***

ultralight duraply

Ultra-durable sandwich panel with an insulated XPS core

Total thickness (")		5/8	3/4	1	1 1/2	2
Exterior / BBA/BBA						
48.5 x 96.5	Weight (lbs/panel)	29.6	30,4	32,1	35.5	38.9
	Panels per pack	62	52	38	25	19
	Weight (lb/sf)	*0.99*	*1.01*	*1.06*	*1.17*	*1.19*

Standard plywood skins: 4.5 mm total thickness.

Certifications on demand: ***PEFC, FSC®.***

EXCEPTIONAL BEAUTY LAMINATE, HIGHLY RESISTANT TO IMPACTS AND SCRATCHES

High-quality decorative laminate panels on plywood, available with various core options for your project.

COLLECTION	DESIGN	CODE	FINISH
FANTASY	MARBLE	917	*supermatte*
COLOR	GREEN	510	*supermatte*
	LIGHT GRAY	840	*glossy*
			velvet
	GRAPHITE	820	*velvet*
	BLACK	810	*matte*
	WARM WHITE	020	*glossy*
			velvet
	COLD WHITE	010	*glossy*
			matte
			top face
	MID GRAY	830	*velvet*
WOOD	WALNUT	914	*atlas*
	BOVARY ELM	915	*essence*
	HICKORY	916	*etnic*
	VIRGINIA OAK	913	*natur*
	CALEDONIAN OAK	912	*sega*
	AMERICAN OAK	910	*wood*
	BARRIQUE OAK	911	*wood*

COLD WHITE
010 *glossy, matte & topface*

WARM WHITE
020 *glossy & velvet*

GREEN
510 *supermatte*

MARBLE
917 *suppermatte*

LIGHT GRAY
840 *glossy & velvet*

MID GRAY
830 *velvet*

GRAPHITE
820 *velvet*

BLACK
810 *matte*

AMERICAN OAK
910 *wood*



BARRIQUE OAK
911 *wood*



CALEDONIAN OAK
912 *sega*

VIRGINIA OAK
913 *natur*



WALNUT
914 *atlas*

BOVARY ELM
915 *essence*



HICKORY
916 *etnic*

Laminated plywood collection

performance poplar laminated

Laminated premium poplar plywood

Sizes (")		1/2	3/4
Interior			
48 x 96	No. of plies*	7	9
	Panels per pack	77	52
	Weight (lb/sf)	*1.39*	*1.98*



** Number of plies not including both laminated.*
This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.
48 x 120" size available upon request, check conditions with your sales representative.

Certifications on demand: PEFC.

duraply® laminated

Laminated ultra-durable plywood

Sizes (")		1/2	3/4
Exterior			
48 x 96	No. of plies	7	9
	Panels per pack	77	52
	Weight (lb/sf)	*1.39*	*1.98*

** Number of plies not including both laminated.*
Possible color degradation of the laminate under UV rays in outdoor conditions.
This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.

Certifications on demand: PEFC, FSC®.

ultralight poplar laminated

Laminated sandwich panel with an insulated XPS core

Total thickness (")		5/8	3/4	1	1 1/2	2
Interior						
48 x 96	Weight (lbs/panel)	39.6	40.4	42.1	45.6	49
	Panels per pack	58	48	36	24	18
	Weight (lb/sf)	*1.24*	*1.28*	*1.34*	*1.47*	*1.49*



This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.

Certifications on demand: PEFC.

ultralight duraply laminated

Ultra-durable, laminated sandwich panel with an insulated XPS core

Total thickness (")		5/8	3/4	1	1 1/2	2
Interior						
48 x 96	Weight (lbs/panel)	39.9	40.8	42.4	45.8	49.3
	Panels per pack	58	48	36	24	18
	Weight (lb/sf)	*1.24*	*1.28*	*1.34*	*1.47*	*1.49*

This product is delivered oversized to 48.5 x 96.5 creating a useful final size of 48 x 96.
Possible color degradation of the laminate under UV rays in outdoor conditions.

Certifications on demand: PEFC.

All our products are CARB / US EPA TSCA Title VI ULEF certifiied, except for Ultralight Duraply, which is subject to CARB Phase 2 / US EPA TSCA Title VI certification.

Challenging the ordinary with four key differentiators:

All products in this brochure are available per ONE pack*, which creates an easier sell for you.

We keep you informed about the actual lead times of our product ranges**, so you can inform your customers.

We have Quickship items ready in stock for you**, so you can quickly deliver your customers.

Personalized solutions: Additional product options beyond our brochure offering are available upon request.

** If combined with other products to full truckloads.*

*** See Quick Ship service page for more details. Minimum order of one truck or container load.*

The figures included in this brochure are strictly to provide information and have no contractual value. The weight, sizes, dimensions, thicknesses, packaging and number of plies may vary without prior notice based on new developments, technological advancements or market needs. The buyer is responsible for deciding whether each Garnica product is suitable for the desired application and ensuring that the way in which it is stored and used are in compliance with the manufacturer's instructions, suggestions, and all applicable current regulations. Some specific items may not be available in your area, please check with your sales representative.

Penguin Parade Visitor Centre

Interior construction

Phillip Island | Australia

Fireshield Building

More info



X:
@garnica_na

YouTube:
Garnica

Pinterest:
@garnicaplywood

Instagram:
@garnicaplywood_na

Linkedin:
Garnica North America

Facebook:
Garnica North America

www.garnica.one

garnica

Challenge the ordinary

Get the latest brochure version here

PDF

PEFC
PEFC/14-35-00004

FSC

The mark of responsible forestry
FSC® C116880