

www.garnica.one

EN 2025 / APRIL

GLOBAL

Product Brochure



garnica
Challenge the ordinary




QUICK SHIP SERVICE

Stocked items ready to be shipped with ultra short lead times.

Quick Ship items highlighted in green throughout the brochure

- ✓ Ultra short lead times
- ✓ Minimize stock levels
- ✓ Rotate your stock faster
- ✓ Delivery terms
 - Delivered At Place (DAP)
 - Minimum order: full truckloads
 - Minimum sales unit: one pallet per SKU



Truck configuration
How to reach full loads by combining different sizes

No. of packs

Standard	XL
28	0
23	4
12	8
6	12
0	16

A full load of 2520 x 1850 mm size is reached with 18 packs.

Lead time (days)



Actual lead times for non Quick Ship items may vary per product range and size.

Download detailed information here



NATURBIND



High-performance
bio-based adhesive



Detailed product range information here:



www.garnica.one



**Lightweight plywood,
100% European poplar,
with a high-performance
bio-based adhesive**

Sizes (mm)		9	12	15	18
Class I interior (Naturbind) B/BB					
2500 x 1220	No. of plies Packaging	5 70	7 50	7 40	9 27

Sizes (mm)		9	12	15	18
Class I interior (Naturbind) BBA/BB					
2500 x 1220	No. of plies Packaging	5 70	7 50	7 40	9 27


CE2+ (structural use), FSC™
Certifications on request: **CARB**



**Primed, lightweight
plywood, 100% European
poplar, with a high
performance bio-based
adhesive**

Sizes (mm)		9	12	15	18
Class I interior (Naturbind)					
2500 x 1220	No. of plies Packaging	5 70	7 50	7 40	9 27

CE2+ (structural use), FSC™, CARB



During its launching phase, this new range may not fulfill the standard lead times policy.

Quick Ship items



Compliant with German Chemicals Prohibition Ordinance (ChemVerbotsV). Formaldehyde release ≤ 0.05ppm EN 717-1

APRIL / 2025 / GLOBAL **garnica**


reinforced globulus maple

LG

**Maple-faced mixed
hardwood core
plywood**

Sizes (mm)		9	12	15	18
Class I interior Regal					
2440 x 1220	No. of plies	5	7	9	11
	Packaging	70	50	40	33
Class I interior Commercial					
2440 x 1220	No. of plies	5	7	9	11
	Packaging	70	50	40	33
Class I interior Basic					
2440 x 1220	No. of plies	5	7	9	11
	Packaging	70	50	40	33

Sizes (mm)		9	12	15	18
Class III exterior Regal					
2440 x 1220	No. of plies	5	7	9	11
	Packaging	70	50	40	33
Class III exterior Commercial					
2440 x 1220	No. of plies	5	7	9	11
	Packaging	70	50	40	33
Class III exterior Basic					
2440 x 1220	No. of plies	5	7	9	11
	Packaging	70	50	40	33

This product is delivered with Garnica's "touch sanding". A final sanding process is required in order to obtain a ready-to-use panel.

CE marking, CE2+ (available for 12-15-18 mm thickness) & Certifications on demand: PEFC, FSC™



UV Finish on maple faces available on demand

reinforced globulus poplar

LG

**Maple-faced, multi-ply
mixed hardwood core
plywood**

Sizes (mm)		9	12	15	18	22	25	30
Class I interior B/BB								
2500 x 1220	No. of plies	5	7	9	11	13	15	17
	Packaging	70	50	40	33	27	24	20
Class I interior BBA/BB								
2500 x 1220	No. of plies	5	7	9	11	13	15	17
	Packaging	70	50	40	33	27	24	20

Sizes (mm)		9	12	15	18	22	25	30
Class III exterior B/BB								
2500 x 1220	No. of plies	5	7	9	11	13	15	17
	Packaging	70	50	40	33	27	24	20
Class III exterior BBA/BB								
2500 x 1220	No. of plies	5	7	9	11	13	15	17
	Packaging	70	50	40	33	27	24	20

CE marking, CE2+ (available for 12-15-18 mm thickness) & Certifications on demand: PEFC, FSC™

Laminated Finish available on demand

reinforced globulus poplar


SG

**Poplar-faced, multi-ply
mixed hardwood core
plywood**

Sizes (mm)		9	12	15	18	21
Class I interior B/BB						
2500 x 1220	No. of plies	5	7	7	9	11
	Packaging	70	50	40	33	28
Class I interior BBA/BB						
2500 x 1220	No. of plies	5	7	7	9	11
	Packaging	70	50	40	33	28

Sizes (mm)		9	12	15	18	21
Class III exterior B/BB						
2500 x 1220	No. of plies	5	7	7	9	11
	Packaging	70	50	40	33	28
Class III exterior BBA/BB						
2500 x 1220	No. of plies	5	7	7	9	11
	Packaging	70	50	40	33	28

CE marking & Certifications on demand: PEFC, FSC™





fireshield®
building
**Fire-retardant plywood,
B-s1,d0 certified**

Sizes (mm)		9	10	12	15	18	22	25	30
Class I interior BBA/BBA									
2500 x 1220	No. of plies Packaging	5 70	5 60	7 50	9 40	9 33	11 27	13 24	15 20
3100 x 1530	No. of plies Packaging	5 55	- -	7 41	9 33	9 27	11 22	13 20	17 16

2500 x 1220 x 7 mm available in limited quantities upon request.

CE marking, CE1 marking structural use & Certifications on demand: PEFC, FSC™, CARB



fireshield®
marine
**Fire-retardant plywood
with IMO/MED
certification**

Sizes (mm)		9	10	12	15	18	21
Class I interior BBA/BBA							
2500 x 1220	No. of plies Packaging	5 70	5 60	7 50	9 40	9 33	11 28
3100 x 1530	No. of plies Packaging	5 55	- -	7 41	9 33	9 27	11 23

Certifications on demand: PEFC, FSC™, CARB



performance
ultra-smooth

PRM

**Premium poplar
plywood with primed
smooth surface**

Sizes (mm)		12,5	18,5
Class I interior White RAL 9003			
2450 x 1230	No. of plies Packaging	7 77	9 52
3060 x 1230*	No. of plies	7	9
3060 x 1530*	Packaging	77	52
Sizes (mm)		12,5	18,5
Class I interior White RAL 9003 + maple UV			
2450 x 1230	No. of plies Packaging	7 77	9 52

CE marking & Certifications on demand: **PEFC, FSC™, CARB**

performance
ultra-smooth

PAINT

**Premium poplar
plywood with a ready-
to-use painted surface**

Sizes (mm)		12,5	18,5
Class I interior White RAL 9003			
2450 x 1230	No. of plies Packaging	7 77	9 52
Class I interior Grey RAL 7037			
2450 x 1230	No. of plies Packaging	7 77	9 52
Class I interior White RAL 9003 + maple UV			
2450 x 1230	No. of plies Packaging	7 77	9 52
Class I interior Grey RAL 7037 + maple UV			
2450 x 1230	No. of plies Packaging	7 77	9 52

CE marking & Certifications on demand: **PEFC, FSC™, CARB**

performance
poplar

laminated

**Laminated premium
poplar plywood**

Sizes (mm)		12	15	18
Class I interior				
2440 x 1220	No. of plies* Packaging	9 25	9 25	11 25

* Number of plies including both laminates.

This product is delivered oversized at 2450 x 1230 mm with a final size of 2440 x 1220 mm.
3050 x 1300 mm size available upon request, check conditions with your sales representative.

CE marking & Certifications on demand: **PEFC**

COLLECTION	DESIGN	CODE	FINISH	RAL
FANTASY	Marble	M0307	Super Matte	-
SOLID COLOR	Green Clay	X0711	Super Matte	RAL 7033
	Sarela Gray	U2209	Super Matte	RAL 7044
	Gray	1411	Glossy	RAL 7044
		1411	Velvet	RAL 7044
	Graphite	1397	Velvet	RAL 7022
		1397	Glossy	RAL 7022
	Black	202	Matte	RAL 9011
	White	753	Glossy	RAL 9016
		753	Velvet	RAL 9016
		204	Glossy	RAL 9010
204		Matte	RAL 9010	
204		Top Face	RAL 9010	
WOOD	Walnut Slow	G0822	Atlas	-
	Bovary Elm	E2297	Essence	-
	Hickory	E0138	Etrnic	-
	Virginia Oak	A1014	Natural	-
	Caledonian Oak	A0386	Sega	-
	American Oak	668	Wood	-
	Barrique Oak	780	Wood	-

Discover our selection
of laminate designs:

Scan or click here





All-weather plywood



Detailed product range information here:



www.garnica.one



**Ultra-durable plywood
for outdoor use**

Sizes (mm)		10	12	15	18	22	25	30
Class III exterior		BBA/BBA						
2500 x 1220	No. of plies	5	7	7	9	11	11	13
	Packaging	60	50	40	33	27	24	20
3100 x 1530	No. of plies	5	7	7	9	11	11	13
	Packaging	50	41	33	27	22	20	16

CE marking & Certifications on demand: **CE2+** (structural use), **PEFC**, **FSC™**, **CARB**



**Laminated ultra-durable
plywood**

Sizes (mm)		12	15	18
Class III exterior				
2440 x 1220	No. of plies*	9	9	11
	Packaging	25	25	25

* Number of plies including both laminates.

Possible color degradation of the laminate under UV rays in outdoor conditions.

This product is delivered oversized at 2450 x 1230 mm with a final size of 2440 x 1220 mm.

CE marking and certifications on demand: **PEFC**, **CARB**



Discover our selection
of laminate designs:

Scan or click here



**Ultra-durable
plywood for outdoor
use with a primed
smooth surface**

Sizes (mm)		10	12	15	18
Class III exterior					
2500 x 1220	No. of plies	5	7	7	9
	Packaging	60	50	40	33
3100 x 1530	No. of plies	5	7	7	9
	Packaging	50	41	33	27

CE marking & Certifications on demand: **CE2+** (structural use), **PEFC**, **FSC™**



**Warranty against delamination
and the attack of wood-decay
fungi and xylophagous insects***

*Subject to conditions. Contact
our Quality Department for
details.

For Duraply & Duraprime products




ultralight
poplar

Poplar sandwich panel with an insulated XPS core

Sizes (mm)		15	18	22	24	25	26	28	30	32	38	40	50
Class I interior BBA/BBA													
2500 x 1220	Plywood	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5
	XPS	6	9	13	15	16	17	19	21	23	29	31	41
	Packaging	40	33	27	25	24	23	21	20	18	15	15	12
3050 x 1300*	Plywood	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5
	XPS	6	9	13	15	16	17	19	21	23	29	31	41
	Packaging	33	27	22	20	19	17	16	15	13	12	10	

* This size may not fulfill the standard lead times policy.

CE marking and certifications on demand: **PEFC, FSC™**


ultralight
duraply

Ultra-durable sandwich panel with an insulated XPS core

Sizes (mm)		15	18	22	28	30	38	40	48
Class III exterior BBA/BBA									
2500 x 1220	Plywood	4,5	4,5	4,5	4,5	4,5	4,5	4,5	4,5
	XPS	6	9	13	19	21	29	31	39
	Packaging	40	33	27	21	20	15	15	12

CE marking and certifications on demand: **PEFC, FSC™**


ultralight
poplar

laminated

Laminated sandwich panel with an insulated XPS core

Sizes (mm)		15	18
Class I interior			
2440 x 1220	Laminated plywood	5	5
	XPS	5	8
	Packaging	25	25

This product is delivered oversized at 2450 x 1230 mm with a final size of 2440 x 1220 mm.

CE marking and certifications on demand: **PEFC**

ultralight
duraply

laminated

Ultra-durable, laminated sandwich panel with an insulated XPS core

Sizes (mm)		15	18
Class III exterior			
2440 x 1220	Laminated plywood	5	5
	XPS	5	8
	Packaging	25	25

Possible color degradation of the laminate under UV rays in outdoor conditions.

This product is delivered oversized at 2450 x 1230 mm with a final size of 2440 x 1220 mm.

CE marking and certifications on demand: **PEFC**

Discover our selection of laminate designs:

Scan or click here





**100% sustainable
European poplar
plywood**

Sizes (mm)		6	7	8	9	10	12	15	18	20	22	25	30	40
Class I interior		B/BB												
2440 x 1220	No. of plies Packaging	-	-	-	5	-	7	7	9	-	-	-	-	-
2500 x 1220	No. of plies Packaging	3	5	5	5	5	7	7	9	9	9	11	13	15
		100	85	75	70	60	50	40	33	30	27	24	20	15
2520 x 1850	No. of plies Packaging	-	-	5	5	5	7	7	9	9	9	11	13	15
		-	-	75	70	60	50	40	33	30	27	24	20	15
XL 3100 x 1530	No. of plies Packaging	-	-	5	5	5	7	7	9	9	9	11	13	15
		-	-	62	55	50	41	33	27	25	22	20	16	12
XL 3100 x 1850	No. of plies Packaging	-	-	5	5	5	7	7	9	9	9	11	13	15
		-	-	62	55	50	41	33	27	25	22	20	16	12


Sizes (mm)		4	5	6	8	9	10	12	15	18	22	30	40
Class I interior		BBA/BB											
2500 x 1220	No. of plies Packaging	3	3	3	5	5	5	7	7	9	9	13	15
		150	120	100	75	70	60	50	40	33	27	20	15
2520 x 1850	No. of plies Packaging	3	3	3	5	5	5	7	7	9	9	13	15
		150	120	100	75	70	60	50	40	33	27	20	15
XL 3100 x 1530	No. of plies Packaging	-	3	-	5	5	5	7	7	9	9	13	15
		-	50	-	62	55	50	41	33	27	22	16	12

Sizes (mm)		8,5	13,5	14,5	16,5	18	18,5	23,5	38,5
Class I interior		B/BB							
XL 3050 x 1300	No. of plies Packaging	5	7	7	9	-	9	11	15
		58	37	34	30	-	27	21	12
Class I interior		BB/BB							
XL 3050 x 1300	No. of plies Packaging	5	7	7	9	11	9	11	15
		58	37	34	30	27	27	21	12

«Coloured glues».

CE marking & Certifications on demand: **CE2+** (structural use), **PEFC**, **FSC™**

**Multilayer
«Blackline»
composition**



**Primed 100%
European poplar
plywood**

Sizes (mm)		9	12	15	18	22
Class I interior						
2500 x 1220	No. of plies Packaging	5	7	7	9	9
		70	50	40	33	27
XL 3100 x 1530	No. of plies Packaging	5	7	7	9	-
		55	41	33	27	-

CE marking & Certifications on demand: **CE2+** (structural use), **PEFC**, **FSC™**





elegance
maple

Maple-faced, poplar
core plywood

Sizes (mm)		6*	9*	12	15	18	22	25	30
Class I interior		Regal							
2440 x 1220	No. of plies Packaging	5 100	5 70	7 50	9 40	9 33	11 27	11 24	13 20
Class I interior		Commercial							
2440 x 1220	No. of plies Packaging	5 100	5 70	7 50	9 40	9 33	11 27	11 24	13 20
Class I interior		Basic							
2440 x 1220	No. of plies Packaging	5 100	5 70	7 50	9 40	9 33	11 27	11 24	13 20

* Limited to 10% of the volume of each order.

CE marking & Certifications on demand: CE2+ (structural use), PEFC, FSC™



UV Elegance Maple available with clear UV finish,
1 or 2 sides

elegance
globulus

Eucalyptus globulus-
faced, poplar core
plywood

Sizes (mm)		8	10	12	15	18	20	22	25	30
Class I interior		A/C								
2500 x 1220	No. of plies Packaging	5 75	5 60	7 50	7 40	9 33	9 30	9 27	11 24	13 20
XL 3100 x 1530	No. of plies Packaging	5 62	5 50	7 41	7 33	9 27	-	9 22	11 20	13 16
XL 3100 x 1830	No. of plies Packaging	5 62	5 50	7 41	7 33	9 27	-	9 22	11 20	13 16

CE marking & Certifications on demand: CE2+ (structural use), PEFC

Sizes (mm)		8	10	12	15	18	20	22	25	30
Class III exterior		A/C								
2500 x 1220	No. of plies Packaging	5 75	5 60	7 50	7 40	9 33	9 30	9 27	11 24	13 20
XL 3100 x 1530	No. of plies Packaging	5 62	5 50	7 41	7 33	9 27	-	9 22	11 20	13 16
XL 3100 x 1830	No. of plies Packaging	5 62	5 50	7 41	7 33	9 27	-	9 22	11 20	13 16



Other decorative finishes in natural wood available on demand.



All our products are Class E1 (EN 13986)


tradition
 twin okoumé

**Okoumé-faced,
lightweight
poplar core
plywood**

Sizes (mm)		5	8	10	12	15	18	22	25	30	40
Class I interior		II/III									
2500 x 1220	No. of plies Packaging	3 120	5 75	5 60	7 50	7 40	9 33	9 27	11 24	13 20	15 15
 3100 x 1530	No. of plies Packaging	3 50	5 62	5 50	7 41	7 33	9 27	9 22	11 20	13 16	15 12

CE marking & Certifications on demand: **PEFC**

Sizes (mm)		40	50
Class III exterior		II/III	
2500 x 1220	No. of plies Packaging	15 15	19 12

tradition
 navy twin okoumé

**Okoumé-faced,
lightweight
poplar core
plywood with
CTB-X**

Sizes (mm)		5	8	10	12	15	18	22	25	30	40
Class III exterior (CTB-X)		II/III									
2500 x 1220	No. of plies Packaging	3 120	5 75	7 60	7 50	9 40	9 33	11 27	13 24	15 20	19 15
 3100 x 1530	No. of plies Packaging	3 50	5 62	7 50	7 41	9 33	9 27	11 22	13 20	15 16	19 12

CE marking & Certifications on demand: **PEFC**





**Highly energy-
efficient insulating
structural panels**

Sizes (mm)		50	120
2510 x 1230	⚙ Class III exterior	⚙ Finishes available: • Poplar plywood • Duraply - All-weather plywood • Poplar core with eucalyptus globulus faces	
	Plywood	10	10
	XPS	30	100
	Plywood	10	10
 3110 x 1230	Packaging	20	8
	Plywood	-	10
	XPS	-	100
	Plywood	-	10
	Packaging	20	8

CE marking & Certifications on demand: **PEFC, FSC™**




ExpressLine
 poplar

**Poplar-faced
combi core
plywood**

Sizes (mm)		9	12	15	18
Class I interior		BBA/BB			
2500 x 1220	No. of plies Packaging	5 70	5 50	7 40	7 33

CE marking & Certifications on demand: **PEFC, FSC™**


ExpressLine
 poplar

PRM

**Primed,
poplar-faced
combi core
plywood**

Sizes (mm)		9	12	15	18
Class I interior					
2500 x 1220	No. of plies Packaging	5 70	5 50	7 40	7 33

CE marking & Certifications on demand: **PEFC, FSC™**


ExpressLine
 grandis

**Eucalyptus
grandis-faced,
combi core
plywood**

Sizes (mm)		9	12	15	18
Class I interior		BB/BB			
2500 x 1220	No. of plies Packaging	5 70	5 50	7 40	7 33

CE marking & Certifications on demand: **PEFC, FSC™**



laudio
wire

**Anti-slip
radiata
pine-based
plywood**

Sizes (mm)		9	12	15	18	21	24	27	30
Class III exterior		170 g/m ² anti-slip face and 170 g/m ² smooth back							
2500 x 1250	No. of plies Packaging	4 100	5 80	7 60	8 50	9 45	9/10 40	11 30	13 30
2500 x 1525	No. of plies Packaging	4 80	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20
3000 x 1500*	No. of plies Packaging	4 80	5 60	7 50	8 40	9 35	-	-	-
3050 x 1525*	No. of plies Packaging	4 80	5 60	7 50	8 40	9 35	-	-	-
Class III exterior		240 g/m ² anti-slip face and 120 g/m ² smooth back							
2500 x 1250	No. of plies Packaging	4 100	5 80	7 60	8 50	9 45	9/10 40	11 30	13 30

* Poplar faces underneath the film.

CE marking structural use (CE2+) & Certifications on demand: PEFC

laudio
wire plus

**Anti-slip pine
plywood,
reinforced
with
Eucalyptus
globulus**

Sizes (mm)		9	12	15	18	21	24	27	30
Class III exterior		170 g/m ² anti-slip face and 170 g/m ² smooth back							
2500 x 1250	No. of plies Packaging	5 100	5 80	7 60	9 50	9 45	11 40	13 30	13 30
Class III exterior		240 g/m ² anti-slip face and 120 g/m ² smooth back							
2500 x 1250	No. of plies Packaging	5 100	5 80	7 60	9 50	9 45	11 40	13 30	13 30

CE marking structural use (CE2+*) & Certifications on demand: PEFC

* Currently, 24, 27 and 30 mm thicknesses are not included in the CE2+ certificate.

laudio
form

**Phenolic
film-faced
radiata
pine-based
plywood**

Sizes (mm)		9	12	15	18	21	24	27	30	35	40
Class III exterior		170 g/m ² phenolic film on both sides									
2500 x 1250	No. of plies Packaging	4 100	5 80	7 60	8 50	9 45	9/10 40	11 30	13 30	15 25	17 20
2500 x 1500	No. of plies Packaging	4 80	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	-	-
3000 x 1500*	No. of plies Packaging	4 80	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	-	-

* Poplar faces underneath the film.

CE marking structural use (CE2+) & Certifications on demand: PEFC

laudio
form plus

**Phenolic film-
faced pine
plywood,
reinforced with
Eucalyptus
globulus**

Sizes (mm)		9	12	15	18	21
Class III exterior		170 g/m ² anti-slip face and 170 g/m ² smooth back				
2500 x 1250	No. of plies Packaging	5 100	5 80	7 60	9 50	9 45

CE marking structural use (CE2+) & Certifications on demand: PEFC



laudio
pine**Radiata
pine-based
plywood**

Sizes (mm)		7	9	10	12	15	18	21	24	27	30	35	40	45
Class III exterior II														
2500 x 1250	No. of plies Packaging	3 130	4 100	4 90	5 80	6/7 60	7/8 50	9 45	9/10 40	11 30	13 30	15 25	17 20	19 20
2500 x 1500	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	17 15	-
XL 3000 x 1500*	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	-	-
Class III exterior II/III														
2500 x 1250	No. of plies Packaging	3 130	4 100	4 90	5 80	6/7 60	7/8 50	9 45	9/10 40	11 30	13 30	15 25	17 20	19 20
2500 x 1500	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	17 15	-
XL 3000 x 1500*	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	-	-
Class III exterior III														
2500 x 1250	No. of plies Packaging	3 130	4 100	4 90	5 80	6/7 60	7/8 50	9 45	9/10 40	11 30	13 30	15 25	17 20	19 20
2500 x 1500	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	17 15	-
XL 3000 x 1500*	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	-	-
Class III exterior IV														
2500 x 1250	No. of plies Packaging	3 130	4 100	4 90	5 80	6/7 60	7/8 50	9 45	9/10 40	11 30	13 30	15 25	17 20	19 20
2500 x 1500	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	17 15	-
XL 3000 x 1500*	No. of plies Packaging	-	4 80	-	5 60	7 50	8 40	9 35	9/10 30	11 25	13 20	15 20	-	-

* Face veneers are scarf-jointed.

No. of plies in IV quality may vary without notice.

CE marking structural use (CE2+) & Certifications on demand: PEFC, FSC™laudio
pine plus**Pine plywood,
reinforced with
Eucalyptus
globulus**

Sizes (mm)		9	12	15	18	21
Class III exterior II/III						
2500 x 1250	No. of plies Packaging	5 100	5 80	7 60	9 50	9 45
Class III exterior III						
2500 x 1250	No. of plies Packaging	5 100	5 80	7 60	9 50	9 45

CE marking structural use (CE2+) & Certifications on demand: PEFC, FSC™laudio
LVL**Radiata
pine-based
panel with
unidirectional
veneers**

Sizes (mm)		15	18	21	24	27	30	35	40
🌀 Class III exterior 🌀 III									
2500 x 1260	Packaging	60	50	45	40	30	30	25	20
 3000 x 1500*		50	40	35	30	25	20	20	-
🌀 Class III exterior 🌀 IV									
2500 x 1260	Packaging	60	50	45	40	30	30	25	20
 3000 x 1500*		50	40	35	30	25	20	20	-

* Face veneers are scarf-jointed.

Sheet thickness range (from 2,5 to 3,6mm).

Strips available on demand.

CE marking structural use (CE2+) & Certifications on demand: PEFC, FSC™

We challenge the ordinary by making three simple promises:



All products in this brochure are available per ONE pack*, which creates an easier sell for you.



We keep you informed about the actual lead times of our product ranges**, so you can inform your customers.



We have Quickship items ready in stock for you**, so you can quickly deliver your customers.

** If combined with other products to full truckloads.*

*** See Quick Ship service page for more details. Minimum order of one truckload.*



X:
@garnicaplywood



LinkedIn:
Garnica Plywood



Instagram:
@garnicaplywood



Pinterest:
@garnicaplywood



YouTube:
Garnicaplywood



Facebook:
Garnicaplywood

The figures included in this brochure are strictly to provide information and have no contractual value. The sizes, dimensions, thicknesses, packaging and number of plies may vary without prior notice based on new developments, technological advancements or market needs. The buyer is responsible for deciding whether each Garnica product is suitable for the desired application and ensuring that the way in which it is stored and used are in compliance with the manufacturer's instructions, suggestions, and all applicable current regulations.

Some specific items may not be available in your area, please check with your sales representative.

www.garnica.one

